

# WISCONSIN PEST BULLETIN

INDEX 2010 VOLUME NO. 55

---

COMMON NAME	SCIENTIFIC NAME	PAGE NUMBER
Alfalfa caterpillar	<i>Colias eurytheme</i>	21, 54, 64, 69, 75, 81, 86, 92, 97
Alfalfa weevil	<i>Hypera postica</i>	1, 2, 8, 9, 15, 20, 26, 27, 34, 40, 46, 59, 103
Anthraxnose		31, 94
Aphids		43, 50
Apple insect trap counts		7, 13, 19, 25, 32, 38, 44, 51, 57, 62, 67, 73, 79, 84, 90, 95, 101
Apple maggot	<i>Rhagoletis pomonella</i>	33, 34, 39, 47, 55, 60, 65, 71, 77, 83, 88, 106, 107
Apple scab	<i>Venturia inaequalis</i>	29
Arborvitae leafminer	<i>Argyresthia thuiella</i>	72
Aspen blotchminer	<i>Phyllonorycter salicifoliella</i>	89
Aster rust	<i>Coleosporium asterum</i>	72
Aster yellows		78
Bacterial wilt		66, 77
Balsam twig aphid	<i>Mindarus abietinus</i>	5
Banded elm bark beetle	<i>Scolytus schevyrewi</i>	12
Basil downy mildew	<i>Peronospora belbahrii</i>	88
Bean leaf beetle	<i>Cerotoma trifurcata</i>	10, 14, 15, 22, 28, 35
Beech bark scale	<i>Cryptococcus fagisuga</i>	6, 100
Beech blight aphid	<i>Grylloprociphilus imbricator</i>	36, 37
Birch leafminer	<i>Fenusa pusilla</i>	4, 5
Black blister beetle	<i>Epicauta pennsylvanica</i>	69
Black cutworm	<i>Agrotis ipsilon</i>	1, 3, 8, 14, 15, 16, 20, 21, 26, 27, 35, 41, 103
Black knot of cherry	<i>Apiosporina morbosa</i>	43
Black light trap		6, 12, 18, 19, 24, 25, 30, 31, 32, 38, 44, 50, 51, 61, 62, 67, 73, 78, 79, 84, 90, 95, 101
Bronze birch borer	<i>Agrilus anxius</i>	71, 72
Cabbage looper	<i>Trichoplusia ni</i>	48, 71, 83
Cedar-apple rust	<i>Gymnosporangium juniperi-virginianae</i>	11
Celery leaf-tier	<i>Udea rubigalis</i>	80, 81, 82, 87, 105
Cereal leaf beetle	<i>Oulema melanopus</i>	40, 41
Chestnut brown bark beetle	<i>Pityogenes hopkinsi</i>	94
Cinara aphid	<i>Cinara</i> spp.	30
Clover leaf weevil	<i>Hypera punctata</i>	21
Codling moth	<i>Cydia pomonella</i>	4, 10, 14, 16, 22, 26, 29, 35, 42, 47, 48, 64, 77, 82, 83, 87, 88, 98, 107
Colorado potato beetle	<i>Leptinotarsa decemlineata</i>	23, 55
Columbine leafminer	<i>Phytomyza aquilegiora</i>	23
Columbine sawfly	<i>Pristophora aquilegiae</i>	30

---

COMMON NAME	SCIENTIFIC NAME	PAGE NUMBER
Common asparagus beetle	<i>Crioceris asparagi</i>	4, 11, 36
Conifer root aphid	<i>Various spp.</i>	5
Corn earworm	<i>Helicoverpa zea</i>	35, 37, 48, 61, 65, 70, 74, 80, 82, 85, 87, 91, 92, 93, 96, 97, 103
Corn leaf aphid	<i>Rhopalosiphum maidis</i>	59, 76
Corn rootworm	<i>Diabrotica spp.</i>	3, 58, 63, 64, 65, 70, 74, 82, 87, 92, 96, 97, 102, 103, 104
Corn rootworm beetle survey	<i>Diabrotica spp.</i>	110
Cottony maple scale	<i>Pulvinaria innumerabilis</i>	49
Cow parsnip	<i>Heracleum maximum</i>	29
Cranberry report		11, 16, 22, 29, 36, 42, 77, 98
Creeping charlie	<i>Glechoma hederacea</i>	4
Crown rust of oats	<i>Puccinia coronata var. avenae</i>	23
Cucumber diseases		108
Cucurbit downy mildew	<i>Pseudoperonospora cubensis</i>	66, 88
Currant aphid	<i>Cryptomyzus ribis</i>	12
Dame's rocket	<i>Hesperis matronalis</i>	17
Degree days		2, 9, 15, 21, 27, 34, 40, 46, 53, 59, 64, 69, 75, 81, 86, 92, 97
Dogwood sawfly	<i>Macremphytus tarsatus</i>	94
Dothistroma needle blight	<i>Scirrhia acicola</i>	83
Eastern spruce gall adelgid	<i>Adelges abietis</i>	89
Eastern tent caterpillar	<i>Malacosoma americanum</i>	2, 12, 18, 24, 49
Emerald ash borer	<i>Agrilus planipennis</i>	5, 6, 18, 31, 43, 56, 100, 108, 109
Eriophyid mite	<i>Eriophyes sp.</i>	61
Euonymus caterpillar	<i>Yponomeuta cagnagella</i>	30
European corn borer	<i>Ostrinia nubilalis</i>	1, 2, 3, 8, 10, 14, 20, 26, 33, 35, 39, 41, 45, 47, 54, 58, 59, 63, 68, 69, 74, 75, 82, 86, 87
European corn borer survey		110
European earwig	<i>Forficula auricularia</i>	45
Eyespot of corn	<i>Kabatiella zea</i>	97
Fall cankerworm	<i>Alsophila pometaria</i>	30
Fall pests		91, 92
Fireblight	<i>Erwinia amylovora</i>	60
Flea beetles	<i>Chaetocnema pulicaria</i>	4, 36, 42, 43
Fletcher scale	<i>Lecanium scale</i>	43
Forest tent caterpillar	<i>Malacosoma disstrium</i>	12, 49
Frogeye leaf spot	<i>Cercospora soja</i>	82, 94, 105, 106
Frost injury		22, 24
Fusarium head blight	<i>Fusarium spp.</i>	28
Garlic mustard	<i>Alliaria petiolata</i>	4
Goss's wilt	<i>Clavibacter michiganense</i>	93, 104
Grape flea beetle	<i>Altica chalybea</i>	3
Grasses		17
Gray mold of strawberries	<i>Botrytis cinerea</i>	60
Green cloverworm	<i>Hypena scabra</i>	70, 76, 80, 85, 86, 87, 93, 98, 102, 105
Guignardia leaf blotch	<i>Guignardia sp.</i>	48
Gypsy moth	<i>Lymantria dispar</i>	1, 2, 6, 12, 23, 24, 37, 43, 50, 56, 61, 66, 72, 77, 78, 89, 94, 103, 109

COMMON NAME	SCIENTIFIC NAME	PAGE NUMBER
Hawthorn rust	<i>Gymnosporangium globosum</i>	56
Hollyhock rust	<i>Puccinia malvacearum</i>	37
Honeylocust plant bug	<i>Diaphnocoris chlorionis</i>	61
Hosta Virus X (HVX)		11
Hummingbird clearwing	<i>Hemaris thysbe</i>	99
Imported cabbageworm	<i>Pieris rapae</i>	4, 11, 36
Island chlorosis		99
Jackpine budworm	<i>Choristoneura pinus pinus</i>	49, 99, 100
Japanese beetle	<i>Popillia japonica</i>	45, 46, 53, 54, 55, 63, 70, 71, 75, 76, 77, 87, 93, 105, 108
June beetle	<i>Phyllophaga spp.</i>	43
Kermes scale	<i>Allokermes kingii</i>	72
Late blight	<i>Phytophthora infestan</i>	36, 43, 58, 71, 77, 80, 98, 102
Leafy spurge	<i>Euphorbia esula</i>	109
Lecanium scale	<i>Lecanium sp.</i>	55
Lirula needlecast	<i>Lirula macrospora</i>	83
Meadow spittlebug	<i>Philaenus spumarius</i>	21, 27, 35, 43, 53, 54
Non-viable stock		36
Northern corn leaf blight	<i>Exserohilum turcicum</i>	93
Oak leaf blister	<i>Taphrina caerulescens</i>	55, 56
Oak wilt	<i>Ceratocystis fagacearum</i>	2, 100
Obliquebanded leafroller	<i>Choristoneura rosaceana</i>	22, 29, 42, 83, 94
Onion maggot	<i>Hylemya antiqua</i>	16, 22, 23
Oriental beetle	<i>Exomala orientalis</i>	66, 108
Oystershell scale	<i>Lepidosaphes ulmi</i>	72
Pea aphid	<i>Macrosiphum pisi</i>	2, 9, 15, 21, 27, 34, 40, 46, 54, 59, 64, 69, 75, 81, 97, 103
Pear thrips	<i>Taeniothrips inconsequens</i>	55
Peony red spot	<i>Cladosporium paeoniae</i>	78
Phyllosticta leaf spot	<i>Phyllosticta spp.</i>	66
Phytophthora root rot	<i>Phytophthora sojae</i>	76, 106
Pine needle scale	<i>Chionaspis pinifoliae</i>	12
Pine pitch midge	<i>Cecidomyia candidipes</i>	17, 18
Pine shoot beetle	<i>Tomicus piniperda</i>	99
Plant bugs	<i>Lygus or Adelphocoris sp.</i>	15, 27, 40, 69, 75, 86, 92
Plum curculio	<i>Conotrachelus nenuphar</i>	3, 10, 11, 22, 26, 36, 42, 106
Potato cull pile rule		9
Potato leafhopper	<i>Empoasca fabae</i>	1, 2, 8, 15, 27, 34, 40, 46, 49, 53, 59, 64, 65, 66, 69, 71, 75, 77, 81, 86, 92, 97, 103
Powdery mildew	<i>Sawadaea tulasnei</i>	5, 17
Powdery scab of potato	<i>Spongospora subterranea</i>	16
Pseudomonas blight	<i>Pseudomonas syringae</i>	23, 24
Pumpkin diseases		107, 108
Redbanded leafroller	<i>Argyrotaenia velutinana</i>	3, 65
Rejected nursery stock		108
Rhizosphaera needlecast	<i>Rhizosphaera kalkhoffii</i>	99
Rose chafer	<i>Macroductylus subspinosus</i>	41, 47, 59, 60
San Jose scale	<i>Quadraspidiotus perniciosus</i>	22, 55, 60, 71, 77
Shore flies	<i>Scatella spp.</i>	5

COMMON NAME	SCIENTIFIC NAME	PAGE NUMBER
Slugs		35, 45, 54, 88, 107
Snap bean viruses		107
Soybean aphid	<i>Aphis glycines</i>	21, 22, 28, 33, 41, 42, 47, 52, 54, 60, 65, 68, 69, 70, 76, 81, 82, 87, 91, 96, 98, 102, 105
Soybean seed inspection		106
Soybean virus survey		106
Spotted asparagus beetle	<i>Crioceris duodecimpunctata</i>	36
Spotted cucumber beetle	<i>Diabrotica undecimpunctata</i>	48
Spotted knapweed	<i>Centaurea biebersteinii</i>	109
Spotted tentiform leafminer	<i>Phyllonorycter blancardella</i>	4, 10, 16, 29, 35, 36, 42, 47, 60, 88, 98
Spotted wing drosophila	<i>Drosophila suzukii</i>	10, 107
Squash bug	<i>Anasa tristis</i>	71
Squash vine borer	<i>Melittia satyriniformis</i>	39, 40, 48, 60, 61, 83
Stalk borer	<i>Papaipema nebris</i>	33, 39, 46, 47
Stewart's wilt	<i>Pantoea stewartii</i>	93, 104
Strawberry root weevil	<i>Otiorhynchus spp.</i>	85
Striped cucumber beetle	<i>Acalymma vittatum</i>	20, 42, 61, 88
Soybean Sudden Death	<i>Fusarium solani f.sp. glycine</i>	93, 94
Tar spot of maple	<i>Rhytisma acerinum</i>	83
Tarnished plant bug	<i>Lygus lineolaris</i>	2, 9
Tobacco rattle virus	<i>Dicentra spectabilis' alba'</i>	11, 12, 17, 30
Trochanter mealybug	<i>Pseudococcus sorghiellus</i>	3
True armyworm	<i>Pseudaletia unipuncta</i>	14, 20, 21, 31, 41, 46, 52, 53, 59, 68, 70, 75, 76, 81, 85, 104
Venturia shoot blight of apsen	<i>Venturia populina</i>	66
Verticillium wilt	<i>Verticillium spp.</i>	89
Viburnum shoot sawfly		61
Viruses of nursery stock		108
Weather & Pests		1, 8, 14, 20, 26, 33, 39, 45, 52, 58, 63, 68, 74, 80, 85, 91, 96, 102
Weed control		29
Western bean cutworm	<i>Richia albicosta</i>	9, 34, 41, 47, 52, 54, 58, 63, 64, 65, 68, 70, 74, 76, 80, 81, 82, 85, 91, 96, 104, 105
Wheat diseases		28, 40
Wheat stem rust	<i>Puccinia graminis f. sp. tritici</i>	28
White mold of soybeans	<i>Sclerotinia sclerotiorum</i>	65
White pine blister rust	<i>Cronartium ribicola</i>	5, 17
White pine weevil	<i>Pissodes strobi</i>	5, 48, 49
Whitefly	<i>Trialeurodes vaporariorum</i>	93
Wild parsnip	<i>Pastinaca sativa</i>	29, 30
Willow sawfly	<i>Nematus spp.</i>	89
Winter annuals & perennials		11
Winter cutworm	<i>Noctua pronuba</i>	37
Wireworm	<i>Elaterid spp.</i>	28
Woolly apple aphid	<i>Eriosoma lanigerum</i>	60
Yellowheaded spruce sawfy	<i>Pikonema alaskensis</i>	50
Zimmerman pine moth	<i>Diorcytria zimmermani</i>	78